BioSpectrum
the business of Bio & Health Sciences
ASIA EDITION

Lexicon Pharma announces positive topline clinical data for LX9211

19 December 2018 | News

The Phase 1a study met its primary objectives, demonstrating a favorable safety and tolerability profile in healthy human subjects and identifying the maximum tolerated dose

clinical
data
informaticians
clinician
requirements
need
clinicians
archetype
understand
technical
modelers
support
ensure
quality
research
domain
built
reference
systems
use
right
represent
fit
Clinician
technicians
decision
content
informatician
groups
purpose
health
often
experts
structure
patient
blind
tend
clearly
always
questions
efforts
little
sharing
development
good
group
just
best
national
know
question
surprisingly
criteria
first
archetypes
seen EHR
quite
care
many
gathered
Critical
Unfortunately
processes
vendors
electronic
developed
participants
feedback
demarcated
however
starting
provide
inevitably
shared
Interestingly
software
desktop
supplied
models
examples
specifications
government
signal
capture
modeling
EHR
instances
provisioning
reflection
ways
presented
collectively
ask
order
trained
provided
consulting
surprised
designed
going
abundantly
consciously
passive
tricky
passive
tree
rules
needed
excluded
tested
close
store
place
for
WAY
WAY
Yet
Yet
Yet